







CALIFORNIA WORKERS' COMPENSATION INSTITUTE 2007 - ALL RIGHTS RESERVED
TOP INJURY SCORECARDS
RUPTURED TENDON, TENDONITIS, MYOSITIS & BURSITIS
SUPPLEMENTAL EXHIBITS
INFLAMED MUSCLES AND JOINTS PRIMARY DIAGNOSIS

| ICD9 Description | Percent of Claims | | | | Percent of Total Paid | | | | Total % of Claims | Total % of Paid |
|---|-------------------|--------|--------|--------|-----------------------|--------|--------|--------|-------------------|-----------------|
| | 2002 | 2003 | 2004 | 2005 | 2002 | 2003 | 2004 | 2005 | | |
| Other tenosynovitis or hand and wrist | 17.0% | 15.1% | 17.2% | 21.2% | 9.4% | 10.1% | 10.6% | 15.6% | 17.1% | 10.1% |
| Enthesopathy of elbow region - Lateral epicondylitis | 15.7% | 15.3% | 15.7% | 15.6% | 16.6% | 15.8% | 14.6% | 12.7% | 15.6% | 15.8% |
| Other affections of shoulder region, not elsewhere classified | 11.3% | 11.6% | 9.9% | 5.8% | 30.2% | 28.7% | 26.9% | 15.1% | 10.2% | 28.6% |
| Pain in limb | 10.1% | 9.2% | 10.3% | 11.2% | 8.0% | 7.9% | 7.5% | 9.1% | 10.0% | 7.9% |
| Disorders of bursae and tendons in shoulder region, unspecified | 4.8% | 4.2% | 4.8% | 4.7% | 3.8% | 4.4% | 5.2% | 6.7% | 4.6% | 4.4% |
| Enthesopathy of specified site | 5.4% | 3.8% | 5.0% | 2.9% | 1.6% | 0.9% | 1.8% | 1.4% | 4.5% | 1.4% |
| Radial styloid tenosynovitis - de Quervain's disease | 3.8% | 3.7% | 4.6% | 4.9% | 2.7% | 2.5% | 3.4% | 3.5% | 4.1% | 2.8% |
| Ganglion and cyst of synovium, tendon, and bursa - Ganglion, unspecified | 3.1% | 2.7% | 2.5% | 2.5% | 2.2% | 2.1% | 1.6% | 1.9% | 2.7% | 2.0% |
| Enthesopathy of elbow region - Medial epicondylitis | 2.3% | 1.8% | 2.2% | 2.3% | 1.8% | 1.7% | 1.6% | 1.6% | 2.1% | 1.7% |
| Trigger finger (acquired) | 1.8% | 2.4% | 2.3% | 2.0% | 1.4% | 1.7% | 1.6% | 2.0% | 2.1% | 1.5% |
| Synovitis and tenosynovitis - Other | 2.1% | 2.0% | 2.1% | 2.4% | 1.0% | 1.4% | 1.2% | 1.9% | 2.1% | 1.2% |
| Enthesopathy of wrist and carpus | 1.4% | 2.1% | 1.6% | 2.3% | 1.3% | 2.0% | 1.4% | 2.2% | 1.8% | 1.6% |
| Olecranon bursitis | 1.7% | 1.4% | 1.8% | 2.0% | 1.1% | 0.7% | 1.1% | 1.1% | 1.7% | 1.0% |
| Calcifying tendinitis of shoulder | 1.3% | 1.3% | 1.3% | 1.3% | 1.2% | 0.8% | 1.4% | 1.9% | 1.3% | 1.1% |
| Synovitis and tenosynovitis | 0.8% | 2.6% | 0.5% | 0.4% | 0.2% | 0.3% | 0.1% | 0.2% | 1.2% | 0.2% |
| Rotator cuff syndrome of shoulder and allied disorders - Other specified disc | 1.0% | 1.0% | 1.2% | 0.8% | 1.3% | 1.8% | 2.5% | 1.8% | 1.0% | 1.7% |
| Adhesive capsulitis of shoulder | 1.1% | 0.9% | 0.9% | 1.0% | 1.3% | 1.1% | 1.5% | 0.9% | 1.0% | 1.3% |
| Enthesopathy of knee, unspecified | 1.1% | 0.8% | 1.0% | 0.9% | 0.6% | 0.5% | 0.4% | 0.5% | 1.0% | 0.5% |
| Bicipital tenosynovitis | 0.9% | 1.0% | 0.7% | 1.2% | 0.5% | 0.6% | 0.6% | 1.2% | 0.9% | 0.6% |
| Complete rupture of rotator cuff | 0.9% | 0.8% | 0.7% | 0.6% | 2.2% | 2.2% | 2.5% | 2.5% | 0.8% | 2.3% |
| Synovitis and tenosynovitis, unspecified | 0.9% | 0.7% | 0.5% | 0.8% | 0.5% | 0.5% | 0.4% | 0.7% | 0.7% | 0.5% |
| Enthesopathy of elbow region | 0.7% | 1.5% | 0.2% | 0.1% | 0.3% | 0.4% | 0.1% | 0.0% | 0.7% | 0.3% |
| Other bursitis | 0.7% | 0.7% | 0.4% | 1.2% | 0.3% | 0.5% | 0.2% | 0.7% | 0.7% | 0.3% |
| Ganglion of joint | 0.7% | 0.6% | 0.8% | 0.6% | 0.5% | 0.6% | 0.5% | 0.6% | 0.7% | 0.5% |
| Rotator cuff syndrome of shoulder and allied disorders | 0.3% | 1.0% | 0.8% | 0.5% | 0.4% | 0.6% | 0.6% | 0.4% | 0.7% | 0.5% |
| Achilles bursitis or tendinitis | 0.6% | 0.6% | 0.6% | 0.8% | 0.4% | 0.6% | 0.5% | 0.7% | 0.6% | 0.5% |
| Rupture of tendon, nontraumatic - Tendons of biceps (long head) | 0.5% | 0.5% | 0.6% | 1.0% | 0.6% | 0.9% | 1.0% | 2.6% | 0.6% | 0.8% |
| Patellar tendinitis | 0.6% | 0.6% | 0.4% | 0.8% | 0.4% | 0.5% | 0.4% | 1.1% | 0.6% | 0.5% |
| Enthesopathy of elbow region - Other | 0.6% | 0.4% | 0.6% | 0.5% | 0.5% | 0.4% | 0.6% | 0.2% | 0.5% | 0.5% |
| Tenosynovitis of foot and ankle | 0.5% | 0.4% | 0.4% | 0.5% | 0.4% | 0.4% | 0.2% | 0.2% | 0.4% | 0.4% |
| Enthesopathy of knee - Prepatellar bursitis | 0.2% | 0.4% | 0.5% | 0.4% | 0.4% | 0.7% | 0.5% | 0.5% | 0.4% | 0.5% |
| Enthesopathy of elbow, unspecified | 0.3% | 0.3% | 0.3% | 0.3% | 0.3% | 0.6% | 0.4% | 0.3% | 0.3% | 0.4% |
| Rupture of tendon, nontraumatic - Extensor tendons of hand and wrist | 0.2% | 0.3% | 0.3% | 0.3% | 0.2% | 0.4% | 0.5% | 0.6% | 0.3% | 0.3% |
| Ganglion of tendon sheath | 0.3% | 0.3% | 0.3% | 0.3% | 0.2% | 0.2% | 0.3% | 0.3% | 0.3% | 0.2% |
| Specific bursitides often of occupational origin | 0.2% | 0.2% | 0.2% | 0.3% | 0.1% | 0.4% | 0.2% | 0.1% | 0.2% | 0.2% |
| Rupture of tendon, nontraumatic - Flexor tendons of hand and wrist | 0.2% | 0.2% | 0.3% | 0.3% | 0.2% | 0.3% | 0.3% | 0.5% | 0.2% | 0.3% |
| Fasciitis, unspecified | 0.1% | 0.2% | 0.3% | 0.1% | 0.1% | 0.3% | 0.4% | 0.2% | 0.2% | 0.2% |
| Unspecified enthesopathy | 0.0% | 0.4% | 0.2% | 0.1% | 0.1% | 0.2% | 0.3% | 0.1% | 0.2% | 0.2% |
| Peripheral enthesopathies and allied syndromes | 0.1% | 0.2% | 0.1% | 0.1% | 0.1% | 0.1% | 0.1% | 0.1% | 0.1% | 0.1% |
| OTHER | 5.0% | 6.6% | 5.6% | 5.2% | 5.5% | 4.5% | 5.0% | 6.2% | 5.6% | 5.1% |
| Grand Total | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |

CALIFORNIA WORKERS' COMPENSATION INSTITUTE 2007 - ALL RIGHTS RESERVED
TOP INJURY SCORECARDS
RUPTURED TENDON, TENDONITIS, MYOSITIS & BURSITIS
SUPPLEMENTAL EXHIBITS
CLAIM TYPE & PAYMENTS
















CALIFORNIA WORKERS' COMPENSATION INSTITUTE 2007 - ALL RIGHTS RESERVED
TOP INJURY SCORECARDS
RUPTURED TENDON, TENDONITIS, MYOSITIS & BURSITIS
SUPPLEMENTAL EXHIBITS
CALIFORNIA COUNTIES







| County | % of Inflammations | % of All Claims | Avg Paid (Indemnity and Medical Per Claim) | | Avg Paid as % of Statewide Avg | |
|-----------------|--------------------|-----------------|--|------------|--------------------------------|------------|
| | | | Inflammations | All Claims | Inflammations | All Claims |
| LOS ANGELES | 18.6% | 21.8% | \$13,063 | \$11,025 | 112% | 119% |
| SAN DIEGO | 8.9% | 8.0% | \$11,020 | \$8,417 | 95% | 91% |
| ORANGE | 5.7% | 6.2% | \$12,349 | \$10,575 | 106% | 114% |
| SANTA CLARA | 5.5% | 3.8% | \$10,870 | \$9,275 | 93% | 100% |
| ALAMEDA | 5.4% | 3.8% | \$11,784 | \$10,231 | 101% | 111% |
| SAN BERNARDINO | 4.6% | 5.5% | \$13,972 | \$9,872 | 120% | 107% |
| RIVERSIDE | 4.3% | 5.0% | \$14,768 | \$10,320 | 127% | 112% |
| SACRAMENTO | 4.0% | 4.2% | \$10,061 | \$7,856 | 86% | 85% |
| FRESNO | 3.4% | 3.8% | \$9,889 | \$6,916 | 85% | 75% |
| CONTRA COSTA | 3.1% | 2.4% | \$12,646 | \$9,983 | 109% | 108% |
| SONOMA | 2.8% | 2.3% | \$10,189 | \$7,930 | 88% | 86% |
| VENTURA | 2.7% | 2.4% | \$15,355 | \$11,197 | 132% | 121% |
| SAN FRANCISCO | 2.4% | 1.7% | \$9,707 | \$7,653 | 83% | 83% |
| SAN MATEO | 2.1% | 1.8% | \$9,408 | \$7,787 | 81% | 84% |
| STANISLAUS | 2.1% | 2.3% | \$12,421 | \$7,654 | 107% | 83% |
| SAN JOAQUIN | 2.1% | 2.5% | \$8,058 | \$6,689 | 69% | 72% |
| SANTA BARBARA | 1.8% | 1.5% | \$12,196 | \$9,729 | 105% | 105% |
| TULARE | 1.8% | 2.0% | \$7,746 | \$6,337 | 67% | 68% |
| KERN | 1.8% | 2.5% | \$14,259 | \$9,787 | 122% | 106% |
| SOLANO | 1.7% | 1.3% | \$11,010 | \$8,732 | 95% | 94% |
| MONTEREY | 1.5% | 1.5% | \$10,976 | \$8,502 | 94% | 92% |
| SANTA CRUZ | 1.1% | 1.0% | \$10,895 | \$8,696 | 94% | 94% |
| MERCED | 1.1% | 1.2% | \$9,892 | \$6,373 | 85% | 69% |
| BUTTE | 1.0% | 0.9% | \$7,802 | \$6,135 | 67% | 66% |
| SAN LUIS OBISPO | 0.9% | 0.9% | \$11,207 | \$7,434 | 96% | 80% |
| MARIN | 0.8% | 0.5% | \$9,077 | \$8,680 | 78% | 94% |
| HUMBOLDT | 0.8% | 0.7% | \$6,783 | \$6,595 | 58% | 71% |
| SHASTA | 0.7% | 0.9% | \$10,663 | \$8,211 | 92% | 89% |
| PLACER | 0.7% | 0.7% | \$9,378 | \$8,643 | 81% | 93% |
| NAPA | 0.7% | 0.6% | \$8,365 | \$5,777 | 72% | 62% |
| YOLO | 0.6% | 0.6% | \$7,693 | \$7,524 | 66% | 81% |
| IMPERIAL | 0.5% | 0.6% | \$12,874 | \$11,267 | 111% | 122% |
| MADERA | 0.5% | 0.6% | \$12,450 | \$6,967 | 107% | 75% |
| MENDOCINO | 0.4% | 0.5% | \$11,308 | \$8,818 | 97% | 95% |
| EL DORADO | 0.4% | 0.5% | \$11,715 | \$8,880 | 101% | 96% |
| NEVADA | 0.3% | 0.3% | \$15,288 | \$8,932 | 131% | 97% |
| SUTTER | 0.3% | 0.4% | \$11,480 | \$8,399 | 99% | 91% |
| LAKE | 0.3% | 0.3% | \$13,697 | \$9,435 | 118% | 102% |
| YUBA | 0.2% | 0.3% | \$16,607 | \$7,862 | 143% | 85% |
| SAN BENITO | 0.2% | 0.2% | \$9,972 | \$8,101 | 86% | 88% |
| KINGS | 0.2% | 0.5% | \$8,239 | \$7,062 | 71% | 76% |
| TUOLUMNE | 0.2% | 0.2% | \$11,020 | \$6,959 | 95% | 75% |
| SISKIYOU | 0.2% | 0.2% | \$8,712 | \$7,539 | 75% | 81% |
| TEHAMA | 0.2% | 0.2% | \$5,512 | \$9,355 | 47% | 101% |
| CALAVERAS | 0.2% | 0.2% | \$11,059 | \$6,582 | 95% | 71% |
| GLENN | 0.2% | 0.2% | \$5,798 | \$5,591 | 50% | 60% |
| AMADOR | 0.1% | 0.1% | \$7,827 | \$7,649 | 67% | 83% |
| DEL NORTE | 0.1% | 0.1% | \$8,319 | \$7,506 | 71% | 81% |
| COLUSA | 0.1% | 0.2% | \$2,263 | \$7,339 | 19% | 79% |
| PLUMAS | 0.1% | 0.1% | \$8,539 | \$6,410 | 73% | 69% |
| MARIPOSA | 0.1% | 0.1% | \$8,101 | \$6,611 | 70% | 71% |
| LASSEN | 0.1% | 0.1% | \$7,752 | \$10,486 | 67% | 113% |
| INYO | 0.1% | 0.1% | \$15,346 | \$7,843 | 132% | 85% |

CALIFORNIA WORKERS' COMPENSATION INSTITUTE 2007 - ALL RIGHTS RESERVED
TOP INJURY SCORECARDS
RUPTURED TENDON, TENDONITIS, MYOSITIS & BURSITIS
SUPPLEMENTAL EXHIBITS
CALIFORNIA COUNTIES

| County | % of Inflammations | % of All Claims | Avg Paid (Indemnity and Medical Per Claim) | | Avg Paid as % of Statewide Avg | |
|-------------|--------------------|-----------------|--|------------|--------------------------------|------------|
| | | | Inflammations | All Claims | Inflammations | All Claims |
| MONO | 0.1% | 0.0% | \$4,829 | \$8,252 | 41% | 89% |
| TRINITY | 0.0% | 0.0% | \$9,782 | \$8,230 | 84% | 89% |
| MODOC | 0.0% | 0.0% | \$8,947 | \$7,165 | 77% | 77% |
| SIERRA | 0.0% | 0.0% | \$31,642 | \$23,125 | 272% | 250% |
| ALPINE | 0.0% | 0.0% | NA | \$9,620 | NA | 104% |
| Grand Total | 100.0% | 100.0% | \$11,643 | \$9,253 | 100% | 100% |







CALIFORNIA WORKERS' COMPENSATION INSTITUTE 2007 - ALL RIGHTS RESERVED
TOP INJURY SCORECARDS
RUPTURED TENDON, TENDONITIS, MYOSITIS & BURSITIS
SUPPLEMENTAL EXHIBITS
DISTRIBUTION OF DRUGS BY DRUG CATEGORIES

| | <u>% of Total Scripts</u> | | <u>% of Total Paid</u> | |
|-------------------------------|---------------------------|------------|------------------------|------------|
| | Inflammations | All Claims | Inflammations | All Claims |
| NSAID | 40.2% | 33.7% | 37.4% | 27.1% |
| Pain - Narcotic | 28.8% | 28.8% | 16.7% | 18.7% |
| Muscle Relaxant | 10.1% | 15.6% | 19.7% | 27.9% |
| Antacid | 7.6% | 6.6% | 17.4% | 15.1% |
| Pain Relief Ointment | 2.9% | 2.9% | 0.8% | 0.7% |
| Antibiotic | 1.6% | 2.6% | 1.7% | 2.7% |
| Pain - Non-Narcotic Analgesic | 1.6% | 2.0% | 0.2% | 0.3% |
| Anti-depressant | 1.5% | 1.8% | 0.9% | 1.3% |
| Local Anesthetic | 1.4% | 1.0% | 1.4% | 1.7% |
| Steroid | 1.2% | 0.9% | 0.3% | 0.2% |
| Sleep Medication | 1.1% | 1.2% | 1.4% | 1.3% |
| Anti-Anxiety | 0.8% | 1.2% | 0.4% | 0.7% |
| Anti-Convulsant | 0.7% | 0.9% | 1.3% | 1.5% |
| Nutritional Supplement | 0.5% | 0.8% | 0.4% | 0.8% |
| Laxative | 0.1% | 0.1% | 0.0% | 0.0% |
| Grand Total | 100.0% | 100.0% | 20.6% | 18.8% |

CALIFORNIA WORKERS' COMPENSATION INSTITUTE 2007 - ALL RIGHTS RESERVED
TOP INJURY SCORECARDS
RUPTURED TENDON, TENDONITIS, MYOSITIS & BURSITIS
SUPPLEMENTAL EXHIBITS
DISTRIBUTION OF DRUGS BY DRUG NAME

| Drug Groups | %of Total Scripts | | % of Total Paid | |
|---|-------------------|------------|-----------------|------------|
| | Inflammations | All Claims | Inflammations | All Claims |
| Hydrocodone (Vicodin) | 13.1% | 13.3% | 7.2% | 7.4% |
| Ibuprofen (Motrin) | 10.9% | 10.9% | 4.3% | 3.6% |
| Naproxen (Naprosyn) | 9.0% | 6.9% | 9.5% | 6.7% |
| Ranitidine (Zantac) | 5.5% | 4.7% | 13.5% | 11.1% |
| Carisoprodol (Soma) | 4.8% | 7.1% | 13.6% | 17.8% |
| Propoxyphene (Darvon) | 3.8% | 3.7% | 2.4% | 2.3% |
| Tramadol (Ultram) | 2.5% | 2.7% | 2.5% | 2.9% |
| Piroxicam (Feldene) | 2.4% | 1.8% | 4.8% | 3.2% |
| Etodolac (Lodine) | 2.1% | 1.5% | 3.5% | 2.2% |
| Banalg Liniment | 2.0% | 1.9% | 0.6% | 0.5% |
| Cyclobenzaprine (Flexaril) | 1.9% | 3.2% | 1.5% | 2.1% |
| Acetaminophen w/ Codeine (Tylenol w/ Codeine) | 1.8% | 1.7% | 1.0% | 0.7% |
| Diclofenac (Cataflam) | 1.4% | 1.2% | 1.8% | 1.4% |
| Cephalexin (Keflex) | 1.2% | 1.9% | 1.3% | 2.1% |
| Celecoxib (Celebrex) | 1.1% | 0.8% | 2.3% | 1.3% |
| Acetaminophen (Tylenol) | 1.1% | 1.5% | 0.2% | 0.2% |
| Nabumetone (Relafin) | 1.1% | 0.8% | 1.1% | 0.8% |
| Lidocaine | 1.0% | 0.8% | 1.1% | 1.3% |
| Oxaprozin (Daypro) | 1.0% | 0.5% | 1.4% | 0.5% |
| Methylprednisolone | 0.7% | 0.5% | 0.2% | 0.1% |
| Amitriptyline | 0.6% | 0.5% | 0.2% | 0.2% |
| Garbapentin | 0.5% | 0.6% | 1.0% | 1.2% |
| Ambien | 0.5% | 0.5% | 0.9% | 0.7% |
| Ketoprofen | 0.4% | 0.4% | 0.3% | 0.2% |
| Methocarbamol (Robaxin) | 0.4% | 0.7% | 0.2% | 0.3% |
| Glucosamine | 0.4% | 0.6% | 0.3% | 0.6% |
| Temazepam | 0.3% | 0.4% | 0.2% | 0.2% |
| Mobic | 0.3% | 0.3% | 0.6% | 0.5% |
| Cimetidine | 0.3% | 0.3% | 0.6% | 0.5% |
| Diazepam | 0.3% | 0.4% | 0.2% | 0.2% |
| Oxycodone | 0.2% | 0.3% | 0.2% | 0.6% |
| Tizanidine | 0.2% | 0.3% | 0.3% | 0.4% |
| Ketorolac | 0.2% | 0.4% | 0.1% | 0.1% |
| Clonazepam | 0.2% | 0.2% | 0.1% | 0.1% |
| Trazodone | 0.2% | 0.3% | 0.2% | 0.3% |
| Analgesic Balm | 0.2% | 0.3% | 0.0% | 0.0% |
| Acetaminophen and Tramadol | 0.2% | 0.2% | 0.2% | 0.2% |
| Bextra | 0.2% | 0.1% | 0.4% | 0.2% |
| Prednisone | 0.2% | 0.2% | 0.0% | 0.0% |
| Metaxalone (Skelaxin) | 0.2% | 0.5% | 0.3% | 0.7% |
| Nortriptyline | 0.2% | 0.2% | 0.1% | 0.1% |
| Indomethacin | 0.2% | 0.1% | 0.1% | 0.0% |
| Alprazolam | 0.1% | 0.3% | 0.1% | 0.2% |
| Fentanyl | 0.1% | 0.1% | 0.1% | 0.3% |
| Effexor | 0.0% | 0.1% | 0.1% | 0.1% |
| Cymbalta | 0.0% | 0.1% | 0.1% | 0.2% |
| Docusate | 0.0% | 0.1% | 0.0% | 0.0% |
| Triazolam | 0.0% | 0.1% | 0.0% | 0.0% |
| Diflunisal | 0.0% | 0.0% | 0.0% | 0.0% |
| Aspirin | 0.0% | 0.0% | 0.0% | 0.0% |
| Chlorzoxazone | 0.0% | 0.1% | 0.0% | 0.1% |
| Salsalate | 0.0% | 0.0% | 0.0% | 0.0% |

CALIFORNIA WORKERS' COMPENSATION INSTITUTE 2007 - ALL RIGHTS RESERVED
TOP INJURY SCORECARDS
RUPTURED TENDON, TENDONITIS, MYOSITIS & BURSITIS
SUPPLEMENTAL EXHIBITS
DISTRIBUTION OF DRUGS BY DRUG NAME

| Drug Groups | %of Total Scripts | | % of Total Paid | |
|--------------------|--------------------------|-------------------|------------------------|-------------------|
| | Inflammations | All Claims | Inflammations | All Claims |
| Orphenadrine | 0.0% | 0.1% | 0.0% | 0.1% |
| Clinoril | 0.0% | 0.0% | 0.0% | 0.0% |
| Clonidine | 0.0% | 0.0% | 0.0% | 0.0% |
| Nalfon | 0.0% | 0.0% | 0.0% | 0.0% |
| (blank) | 24.5% | 24.1% | 19.2% | 23.3% |
| Grand Total | 100.0% | 100.0% | 100.0% | 100.0% |

CALIFORNIA WORKERS' COMPENSATION INSTITUTE 2007 - ALL RIGHTS RESERVED
 TOP INJURY SCORECARDS
 RUPTURED TENDON, TENDONITIS, MYOSITIS & BURSITIS
 SUPPLEMENTAL EXHIBITS
 NOTIFICATION TIME LAGS

Time to Employer Notification, Carrier Notification and First Treatment

| | | <u>Employer Notification</u> | | <u>Carrier Notification</u> | | <u>Time to First Treatment</u> | |
|--------|------|------------------------------|------------|-----------------------------|------------|--------------------------------|------------|
| | | Inflammations | All Claims | Inflammations | All Claims | Inflammations | All Claims |
| Mean | 2002 | 14.1 | 8.5 | 27.0 | 20.0 | 52.9 | 29.0 |
| | 2004 | 13.7 | 6.5 | 24.8 | 16.8 | 75.8 | 24.7 |
| Median | 2002 | 0.0 | 0.0 | 9.0 | 7.0 | 19.0 | 3.0 |
| | 2004 | 1.0 | 0.0 | 8.0 | 6.0 | 14.0 | 2.0 |

Time to First Treatment by Service Type on Claims with Service

| | | <u>Any Visit Type</u> | | <u>Surgery Visits</u> | | <u>PT Visits</u> | | <u>Chiro Visits</u> | |
|--------|------|-----------------------|------------|-----------------------|------------|------------------|------------|---------------------|------------|
| | | Inflammations | All Claims | Inflammations | All Claims | Inflammations | All Claims | Inflammations | All Claims |
| Mean | 2002 | 52.9 | 29.0 | 69.7 | 39.8 | 54.0 | 42.6 | 114.0 | 79.7 |
| | 2004 | 49.4 | 24.7 | 64.3 | 31.9 | 53.9 | 40.4 | 91.9 | 66.4 |
| Median | 2002 | 19.0 | 3.0 | 35.0 | 1.0 | 26.0 | 18.0 | 76.0 | 42.0 |
| | 2004 | 14.0 | 2.0 | 26.0 | 1.0 | 27.0 | 19.0 | 65.0 | 36.0 |